Welcome to the CWNS Web Seminar Series

Seminar Logistics / Ground Rules

If you encounter problems with Genesys, call Technical Support at 1-866-GENESYS or *10* if you are already on the conference line.

All participants phones will be muted for this presentation.

A question can be asked at anytime by typing it in the chat box and clicking ____.

This training is being recorded. You must agree to participate in the recording, or you will be disconnected from the session.

Clean Watersheds Needs Survey (CWNS) 2008



Documenting Decentralized Wastewater Treatment Needs

Presenters:
Joyce Hudson, US EPA
Karen Fligger, US EPA
Eleanor Krukowski, NJ DEP

Thank You

- Eleanor Krukowski (NJ)
- Joyce Hudson (EPA HQ)
- Amanda Crovo (CT)
- Dave Schepens (DE)
- Robert Scully (CT)
- Donna Somboonlakana (EPA R2)
- Ray Kvalheim (EPA R2)
- Jim Anderson (MN)
- Shelly Love (IN)

What is CWNS

What is CWNS?

- Assessment of capital needs to meet the Clean Water Act's (CWA) water quality goals
- Need: A capital project, with associated costs, that addresses a water quality or water-related public health problem
- Joint effort by EPA, States, & Local organizations
- Every 4 years as required by CWA Sec 516 (started in 1972)
- Results in Report to Congress

What data is collected?

- Includes information about:
 - Publicly owned wastewater facilities
 - Stormwater management projects
 - Combined sewer overflow (CSO) control
 - Non-point source pollution control projects
 - Estuary Management projects
 - Decentralized wastewater treatment projects

What data is collected?


- Information collected includes:
 - Estimated needs (cost and technical information) as of Jan. 1, 2008
 - Location and contact information
 - Permit information and discharge data
 - Solution to the problem, e.g. best management practices (BMPs)
 - WWT facility population served, flow, effluent, and unit process data
 - Decentralized population served

Questions

Questions can be asked at anytime by typing them in the chat box and clicking .

1. The needs are underreported.

CWNS 2004 Distribution of Needs




The needs are underreported


- 20 States did not report Needs in this category
- Decentralized system population reported in CWNS 2004 was 15.6 million
 - Represents only ~20% of population being served by individual/ decentralized systems.
- States reporting highest amounts are: MN, IN, TX, OH, CT, NJ.
- 15 States reported needs less than \$10 million

- 1. The needs are underreported
- 2. Assists Congress and state legislatures to develop budgets and set policy

- 1. The needs are underreported
- 2. Assists Congress and state legislatures to develop budgets and set policy
- 3. Tool to collect data for programmatic planning purposes at the state and national level


- 1. The needs are underreported
- 2. Assists Congress and state legislatures to develop budgets and set policy
- 3. Tool to collect data for programmatic planning purposes at the state and national level
- 4. Informs the public and contributes to academic research





Ask WATERS Results

- Tables, charts, graphs
- Links to facility factsheets and maps



- 1. The needs are underreported
- 2. Assists Congress and state legislatures to develop budgets and set policy
- 3. Tool to collect data for programmatic planning purposes at the state and national level
- 4. Informs the public and contributes to academic research
- 5. Provides documentation needed to apply for funding, including SRF loans

- 1. The needs are underreported
- 2. Assists Congress and state legislatures to develop budgets and set policy
- 3. Tool to collect data for programmatic planning purposes at the state and national level
- 4. Informs the public and contributes to academic research
- 5. Provides documentation needed to apply for funding, including SRF loans
- 6. Brings attention to decentralized treatment as a significant part of wastewater management

Questions

Questions can be asked at anytime by typing them in the chat box and clicking .

Collecting and Entering Decentralized Data

Changes for 2008

- Decentralized Data will be collected/ reported in a separate category (Category XII: Decentralized Wastewater Treatment System Needs)
- Category will include subcategories
 - Onsite Wastewater Treatment Systems
 - Clustered Systems
- New systems will be eligible

Eligibility

- To be eligible for CWNS, needs must be:
 - Capital costs
 - Fall within CWNS categories
 - Meet CWNS documentation criteria

No longer needs to meet SRF eligibility criteria.

Category XII: Decentralized Wastewater Treatment Needs

- Costs associated with the construction of new systems, or the repair or replacement of existing decentralized wastewater treatment systems including:
 - Clustered Systems
 - Onsite Wastewater Treatment Systems (OWTS)

Other Relevant Categories

- When the solution to a decentralized systems problem is to connect the area to a centralized system:
- Needs to construct a publicly owned centralized collection and treatment system
 - Category I- Secondary Wastewater Treatment and/or Category II- Advanced Wastewater Treatment
- Needs to install sewers to connect the service area to an existing collection system.
 - Category IV-A- New Collector Sewers and Appurtences and IV-B- New Interceptor Sewers and Appurtenances

Six Criteria for Documenting Needs and Costs

- Description of the water quality or public health problem
- 2. Location of the problem
- 3. Solution to the problem
- 4. Cost of the solution
- 5. Basis for the cost
- 6. Total cost

Needs

Costs

1. Description of the water quality or public health problem

- Examples:
 - Complaint issued
 - Permit issued
 - Implemented municipal or state regulation

Example State Regulation

- From Delaware (draft):
 - All cesspools or seepage pits are prohibited within Indian River, Indian River Bay, Rehoboth Bay and Little Assawoman Bay watersheds and shall be replaced in accordance with the Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems and these Regulations of the Pollution Control Strategy for the Indian River, Indian River Bay, Rehoboth Bay and Little Assawoman Bay Watersheds.
 - All innovative and alternative onsite wastewater treatment and disposal systems having flows of less than or equal to 2,500 gallons per day must comply with Performance Standard Nitrogen level 3.

2. Location of the problem

- Clustered System- a single latitude/longitude point (centroid or front door)
- OWTS (one of the following)
 - A list of latitudes and longitudes.
 - A list of street addresses or street blocks
 - A paper or electronic map indicating the areas served by OWTSs in your jurisdiction.
 - If a project area applies to a complete town or county, a latitude/longitude for the town centroid can be submitted.

3. Solution(s) to the problem

- Possible solutions
 - Construct new system(s)
 - Repair existing system(s)
 - Replace existing system(s)

- Others:
 - Alterations
 - Upgrades to innovative/advanced treatment

What if you don't know the solution

- Assume the solution is to repair the existing system (with no significant alterations to system) if no documentation exists on need to replace it
- Apply a ratio if the state has collected sample data within an area.

Develop a ratio based on data

- Use a survey or an existing database to document the typical number of repairs, replacements, and/or new systems in a time period and geographic area
- Several state surveys and a model survey is available at:
 - http://www.epa.gov/cwns/decentrneedsbpfinal.pdf

4. The cost for each solution

- A cost is required for each proposed solution.
- Generally, at least:
 - Repairs
 - Replacements
 - New systems
- Can provide costs for:
 - Alterations
 - Innovative/advanced treatment

5. The basis of the cost

- The source of the cost data, for example:
 - Engineer's estimates
 - Costs from comparable practices
 - Equipment supplier or installer's estimates
 - Permits

Costs from comparable practices

- Cost must be based on at least 3 bid or completed projects that are:
 - Recent: within the last two years.
 - Similar in size, scope, and geographic area.
 - Size: plus or minus 25 percent.
 - Generally in the same county or watershed.
- Must be pre-approved by your EPA region and EPA headquarters

Engineer, installer, or equipment supplier's estimates

- A good source of cost data
- MN example:
 - Conducted survey at recertification workshops (309 installers)
 - Asked for actual installation cost of four basic systems
 - Developed a weighted average installation cost

Cost Curves

- Available in data entry system:
 - All OWTS (mixture of conventional and innovative systems)
 - Conventional OWTS (traditional gravity-fed tank and trench system)
 - Innovative OWTS (any type of OWTS with technology superior to a conventional OWTS)
 - Clustered systems

Data need for Cost Curves

	Data Elements (R= required; O= optional, NA= not applicable)										
Cost Curves	No. of new systems (resident)	No. of new systems (non- resident)	No. of system rehabilitations (resident)	No. of system rehabilitations (non-resident)	Population or no. of houses served (resident)	Population or no. of houses served (non- resident)	Number of Conventional Systems	Number of Innovative Systems			
All OWTS (mixture of conventional and innovative systems)	R	0	R	0	0	0	0	0			
Conventional OWTS (traditional gravity-fed tank and trench system)	R	0	R	0	0	0	R	NA			
Innovative OWTS (any type of OWTS with technology superior to a conventional OWTS)	R	0	R	0	0	0	NA	R			
Cluster systems	R	0	R	0	0	0	NA	NA			

6. The total cost

 The total cost of all decentralized wastewater treatment needs documented for the area (e.g., county, watershed) must be provided.

Questions

Questions can be asked at anytime by typing them in the chat box and clicking .

Clean Water Needs Survey New Jersey's Onsite Strategy

Bureau of Nonpoint Pollution Control

NJ Department of Environmental

Protection

CWNS

Predominantly larger projects

Terminology appropriate for larger projects

 Categories and Sub Categories that don't fit that mold under reported

Onsite Program

- Community (Decentralized) Systems
 >2000 gpd
 - State NPDES type permits (UIC) performance oriented

- Residential/Commercial 2000 gpd or less
 - Local Health Department Permits construction oriented

Onsite Program

- State Permitted Facilities (ground water permits)
 - achieve State Ground Water Quality Standards
 - comply with State Planning Rules
 - comply with operation and maintenance requirements
- This program has been in existence for 24 years


- State Permitted Facilities (Community systems)
 - most do not qualify for SRF

 NJ's predominant Onsite "Need" involved individual residential systems permitted by the local health departments

- Issues to overcome
 - permitted at the local level (variations in interpretation)
 - no unified state database
 - failing systems must be fixed (short time frame)
 - no standard "Needs" documentation
- Categorized as a Nonpoint Source

- SRF eligibility
 - Wastewater Treatment Bond Act limits who can get loans
 - Results in both challenge and incentive for Needs Survey
- Establish individual onsite Needs by municipality

Upper Saddle River Onsite Wastewater Treatment System Report





2003 Septic Information

Contact Person: Deborah McGrath, NWBRHC

New Systems: 29


Repairs: 9
Malfunctions: 25

Total: 63 Flow: 35,500

Common Reason for Malfunction

Age: 12; Misuse: 2; Water Table: 3

Little Egg Harbor Onsite Wastewater Treatment System Report





2003 Septic Information

Contact Person: Robert Ingenito, OCHD

New Systems: 58 Repairs: 12 Total: 70 Flow: 35,000

Common Reason for Malfunction

Misuse: 12

- What we had
 - Individual home systems as "Need"
 - Local health department permit numbers grouped by municipality
 - Municipalities eligible for SRF funds
 - Individual homes fixed quickly, not the right kind of documentation

- Municipalities managing systems
 - Establish a turn-over rate as the average number of systems fixed each year (permits)
 - Turn-over rate used to predict the dollar amount of loans that would be needed in any given year

- Each Municipality as a facility
- Point of contact Mayor
- Phone number City Hall
- Address City Hall
- Lat and Long City Hall
- Watershed City Hall

- Population 3 people per household multiplied by number of repair and alteration permits
- Flow Number of repair and alteration permits multiplied by flow for 3 bedroom home (assumed based on average 3 people per home)

- Documenting Costs
 - State applications for residential code waivers
 - Average cost estimates
 - Negotiate with USEPA for place in cost curve

CWNS#: 34003055021 Facility: Little Egg Harbor Twp NPS Review Status: 05/13/05 NPDES: Federal Needs (\$000): \$150 Tribe: No System Name: Point of Contact Name: Mayor Location (Point of Record) Authority: LITTLE EGG HARBOR Twp Ocean NJ County, State: 3403 Address: 7 Gifford Road Congressional District: Within Tribe Territory: No Latitude/Longitude: 39.5684 N / 74.3695 W LITTLE EGG HARBOR NJ 08087 Watershed: Mullica-Toms. Phone: 6092987241 Fax: NHD Index: Email: Facility Description Nature Present Projected Change(s) Ground Water - Unknown Source Ν New Υ Υ Individual On-Site System Area Rehabilitation Urban Υ Rehabilitation Permit(s) Number Type *indicates NPDES Permit Needs (\$000, adjusted to Current Year) Separate State Estimate Description Federal VII-D NPS-Urban VII-E NPS-Ground Water - Unknown Source \$578 VII-L NPS-On-site Septic & Decentralized Sys. \$150 Total: \$150 \$674 Needs Data by Document (\$000, adjusted to Current Year) *Separate State Estimate Doc Document Title Doc Date Base Date Author Needs 05 NJ Individual/Decentralized Sew. Treat. NJDEP 01/01/04 01/01/04 \$150

Wasterwater Treatment Population Not Receiving Collection					
Mantagarta Taratagart Bandatian					
23*	NJ Green Acres Prog-State Acqui. Project	NJDEP	05/01/04	05/01/04	\$336
22*	SIIA STATUS REPORT TO LEGISLATURE	NJDEP	06/15/92	01/01/96	\$96
10* NJ Green Acres Prog - Grants & Loans 1			05/03/04	05/03/04	\$242

Receiving Collection

Upstream Population Receiving Collection

Total Receiving Treatment (computed) Individual Sewage Disposal System

188

188

Wastewater Treatment Flow (mgd) Existing Present Design Future Design

Municipal Industrial

Infiltration

Total (computed)

Wet Weather Peak





End Result

A valid option for reflecting Onsite Needs

Thank you

 Eleanor Krukowski, P.G., Supervisor Onsite Wastewater Management Unit Bureau of Nonpoint Pollution Control New Jersey Department of Environmental Protection 609-292-0407

Questions

Questions can be asked at anytime by typing them in the chat box and clicking .

Summary

Lessons Learned in 2004

Resources

- State and municipal health departments
- Permits and permit applications
- Engineers and installers
- Historical knowledge & data
- State agencies & departments addressing rural issues
- Research by outside organizations (e.g., Universities, associations of cities and towns)
- State NPS program and 319 watershed plans

Lessons Learned in 2004

- Communication is key
 - Between state agencies
 - Between state and local agencies
 - Between states and EPA
- Contact EPA as you are developing your methodology.
 - EPA will provide methodology review at states request from June-December 2007.
 - http://www.epa.gov/cwns/method.htm

Questions

Questions can be asked at anytime by typing them in the chat box and clicking .

http://www.epa.gov/cwns

- List of CWNS state & regional coordinators (Where You Live)
- News about CWNS 2008
 - Web seminar schedule, "Questions and Answers," and links to recorded sessions
 - Resources (including Decentralized Best Practices Guide)
 - Links to contact information for state & regional NPS,
 Onsite, and Stormwater Coordinators
- Access to CWNS data and Reports to Congress

Contacts & More Information

Michael Plastino, US EPA 202-564-0682 or <u>plastino.michael@epa.gov</u>

Karen Fligger, US EPA 202-564-2992 or <u>fligger.karen@epa.gov</u>

Sign up for CWNS updates by emailing cwns@epa.gov.